

Telephone: 0844 693 3101  
 Telephone: +44 (0)117 967 0811  
 Email: service@davisaccess.co.uk  
 Email: sales@davisaccess.co.uk  
 Web: www.davisaccess.co.uk

Fax: 0117 321 0339  
 Fax: +44 (0)117 321 0339  
 Email: training@davisaccess.co.uk  
 Email: info@davisaccess.co.uk



**Davis Access Ltd.**  
 Unit 7  
 Aldermoor Way  
 Longwell Green  
 Bristol  
 BS30 7DA

## SITE REQUIREMENTS

<b>Parking</b>	Is there parking on site for the Instructor.
<b>Training Room</b>	240 Volt Power Supply, table for Instructor to set up projector, laptop and screen or wall suitable for projection. Adequate ventilation/heating, adequate seating and desk space for each candidate. Pens and Paper. Toilet Facilities. Have refreshments been arranged for candidates and Instructor.
<b>Equipment</b>	You will need to supply suitable and sufficient equipment/machines with a current 6 monthly LOLER certificate for the MEWP. Has the MEWP been checked by a competent person to ensure it is physically sound and operates correctly. Has the MEWP been checked to ensure the Platform is free of debris, controls panels checked to ensure that they are legible. Make sure MEWP is fully charged/fuelled and keys available. Manufacturer's instruction manual present with the MEWP, are there suitable harness anchor points on the MEWP.
<b>Practical Training Area</b>	Do you have an area to do the practical training (this should be adequate for training on most MEWPs). Must be cordoned off from pedestrian/vehicular traffic, plus a suitable workface target at a minimum of 75% of MEWP max platform height. Area must be free of debris and overhead hazards such as craneage. Must be available for the whole afternoon without interruption and be quiet so the instructor can be heard.
<b>Trainees Require</b>	Home Address, Date Of Birth, any previous PAL Card.
<b>PPE required by Trainees</b>	Warm Clothing, Hard Hat, Safety Boots, Full Body Restraint Harness and Lanyard ( <i>Course Dependant</i> ).
<b>Risk Assessment</b>	A Risk Assessment will need to be carried out with particular reference to the ground for the practical training area against; Maximum Working Mass/ Maximum Point Pressure/Distributed Load (whichever is relevant) of the MEWP to be used. Nearest First Aid.

## DECLARATION

**We confirm that all the facilities and or equipment as requested are available. If it is necessary to cancel any training course as a result of the above requirements not being met, for example any trainees that have a problem working at height, literacy, medical conditions or are unable to bring the correct PPE items, we accept that there will be a cancellation fee payable, which could be up to the full cost of running the course.**

<b>NAME:</b>	<b>POSITION:</b>
<b>SIGNATURE:</b>	<b>DATE:</b>

Yours faithfully

**Davis Access Ltd**



APPROVED

Registered in England & Wales No. 4724450.



VAT Reg. No. GB 709 7122 35



Competent Assessed  
Persons